



pg_upgrade like a boss!

Alexander Kukushkin

PGConf.DE 2024, München

2024-04-12



About me

Alexander Kukushkin

Principal Software Engineer [@Microsoft](#)

The Patroni guy

akukushkin@microsoft.com

Twitter: [@cyberdemn](#)

Agenda

- Why upgrade?
- Types of upgrades
- pg_upgrade
- Upgrading HA setups
- Conclusion

Why upgrade?

- Security fixes
- Bugfixes
- Performance improvements
- New features

Why upgrade!

<https://why-upgrade.depesz.com/show?from=13.13&to=16.1>

Upgrade from: 13.13 v to: 16.1 v matching: gives me ...

Upgrading from 13.13 to 16.1 gives you 765 fixes

↑ Security fixes:

- Remove PUBLIC creation permission on the `public schema` (Noah Misch)
The new default is one of the secure schema usage patterns that [Section 5.9.6](#) has recommended since the security release for [CVE-2018-1058](#). The change applies to new database clusters and to newly-created databases in existing clusters. Upgrading a cluster or restoring a database dump will preserve public's existing permissions.

Jump to:

- Security fixes
- Configuration changes
 - Removed
 - Added
 - Changed default value

Versioning policy

- $\$major.\$minor$
 - 16.2, 15.6, 14.11, 13.14, 12.18
- Major releases every year
- Minor releases every quarter
- Read [more](#) about policy and release schedule

Types of upgrades

- Minor upgrade
 - 16.0 -> 16.2
- Major upgrade
 - 13.7 -> 16.2

Minor upgrade

- 16.1 -> 16.2
- Read release notes!
 - sometimes standby needs to be upgraded first!
- Install new binaries
- Restart Postgres
- **For minor releases, the community considers *not upgrading to be riskier than upgrading!***

Major upgrades

type	downtime	resources	complexity	risk
dump/restore	high, depends on DB size	double (disk space)	low	low
pg_upgrade --copy	high, depends on DB size	double (disk space)	high	low
pg_upgrade --link	depends on the number of objects in DB , usually below one minute	low	high	high
pg_upgrade --clone	depends on the number of objects in DB , usually below one minute	low	high	low
Logical replication	sub-second	double	high	medium


pg_upgrade --link vs --clone

- Old and new PGDATA must be located on the same filesystem
- --link
 - uses hardlinks
- --clone
 - clones files, safer than --link
 - doesn't work with **rsync** method for upgrading standbys



pg_upgrade workflow

1. install new major binaries
2. initdb – initialize the new cluster
3. shut down the old cluster
4. run pg_upgrade
5. start the new cluster


How pg_upgrade works: initial state




Freeze




Copy clog and multixact



dump/restore schema



Copy/clone/relink relation files



Before major upgrade

- read release notes (including intermediate versions)!
 - incompatibilities must be addressed before `pg_upgrade`
- try `pg_upgrade --check`
 - if there are any problems reported - fix them
 - it can't find everything, but improves every major release
- make a backup (pgBackRest, wal-g, barman)
- test!
 - backup/restore
 - try to upgrade restored backup

initdb

- new cluster must be initialized with the same **--locale**, **--encoding**, **--data-checksums**, and **--wal-segsize**
 - **SHOW lc_collate;**
 - **SHOW server_encoding;**
 - **SHOW data_checksums;**
 - **SHOW wal_segment_size;**

Extensions

- `pg_upgrade` keeps old versions of extensions
 - extension version must be available for old and new major version
 - update extensions before and/or after `pg_upgrade`
- some extensions need special care (pre/post upgrade)
 - Citus
 - PostGIS
- some extensions can't be upgraded
 - `pg_repack`

pg_upgrade --check – false positives

```
CREATE FUNCTION test() RETURNS SETOF pg_stat_activity  
LANGUAGE SQL SECURITY DEFINER  
AS $$ SELECT * FROM pg_stat_activity; $$;
```

```
CREATE VIEW test AS SELECT * FROM test();
```

- pg_upgrade --check – **Clusters are compatible**
- but, pg_upgrade – **failure**
- strategy:
 - restore from the backup and run pg_upgrade
 - if fails - fix problems
 - repeat

Minimizing downtime

- Do all preparations *before* calling `pg_upgrade` (and stopping the primary)
 - cleanups, `initdb`, etc
- Manually run a few times `CHECKPOINT`
 - Speeds up **`pg_ctl stop -m fast`**
- Use `pg_upgrade --clone` or `--link`
 - New and old PGDATA must be located on the same filesystem
 - `/pgdata/12` # old PGDATA
 - `/pgdata/16` # new PGDATA
- Use **`--jobs=N`**
 - parallel schema dump/restore and relinking

After pg_upgrade

- rebuild table statistics
 - `vacuumdb --all --analyze-in-stages`
- restore dropped objects
- trigger creation of new basebackup!

Analyze in stages

```
SET default_statistics_target = 1;
```

```
ANALYZE;
```

```
/* at this point, usually, we are good enough to allow connections */
```

```
SET default_statistics_target = 10;
```

```
ANALYZE;
```

```
SET default_statistics_target = 100;
```

```
ANALYZE;
```

Beware non default statistics target set on columns!

```
postgres=# \d+ test
```

COLUMN	TYPE	Collation	NULLABLE	TABLE "public.test" DEFAULT	Storage	Compression	Stats target	Description
id	BIGINT		NOT NULL		plain		1000	
name	text				extended			

Indexes:
"test_pkey" PRIMARY KEY, btree (id)
Access method: heap

- Breaks --analyze-in-stages
 - ANALYZE on **test** table will always read $300 * 1000$ tuples instead of $300 * \text{default_statistics_target}$
 - Even the first stage is veeeery slow

Solution

1. **ALTER TABLE** test **ALTER COLUMN** name
SET STATISTICS **-1**; */* reset custom setting */*
2. vacuumdb --all --analyze-in-stages
3. **ALTER TABLE** test **ALTER COLUMN** name
SET STATISTICS **1000**; */* restore custom setting */*
4. **ANALYZE** test; */* rebuild statistics with custom setting */*

Speed up vacuumdb --all --analyze-in-stages

- Use **--jobs N** parameter for vacuumdb
- But, **parallelism is maybe not what you think!**
 - Sequentially goes over databases in the cluster and does ANALYZE on N tables in parallel
 - What if we have 16 database with 1 huge table in each?
 - Run multiple vacuumdb -d \$DB instead of a single vacuumdb --all

Upgrading HA setups

- Rebuild standby nodes using backup tools:
 - the safest option
 - backup/restore takes time
 - **pg_basebackup** is slow, speed ~1TB/h :(
- Upgrade standbys with [rsync](#)

Upgrading standbys with rsync

- [Described](#) in Postgres docs
- requires `pg_upgrade --link`
- relies on the fact that **user relation data files** in primary and standby PGDATA are fully identical
 - **We have to ensure that standby is up-to-date!**

How postgres stores relations on filesystem

```
postgres=# CREATE TABLE test(id BIGINT NOT NULL PRIMARY KEY, name text);  
CREATE TABLE
```


```
postgres=# INSERT INTO test SELECT i, 'test' FROM generate_series(1, 1000000) AS i;  
INSERT 0 1000000
```

```
postgres=# SELECT oid, relfilenode FROM pg_class WHERE relname = 'test';
```

```
oid | relfilenode  
-----+-----  
16394 |  
(1 ROW)
```

```
$ ls -gi pg12/base/13498/16402*
```

```
40372037 -rw----- 1 akukushkin 44285952 Jan 24 09:50 pg12/base/13498/16402  
40372067 -rw----- 1 akukushkin   32768 Jan 24 09:49 pg12/base/13498/16402_fsm
```



Using pg_upgrade --link

```
$ /usr/lib/postgresql/16/bin/pg_upgrade --link \  
-b /usr/lib/postgresql/12/bin \  
-B /usr/lib/postgresql/16/bin \  
-d pg12 -D pg16
```

Adding ".old" suffix to old global/pg_control ok

If you want to start the old cluster, you will need to remove the ".old" suffix from pg12/global/pg_control.old.

Because "link" mode was used, the old cluster cannot be safely started once the new cluster has been started.

Linking user relation files

Setting next OID for new cluster ok
Sync data directory to disk ok
Creating script to delete old cluster ok
Checking for extension updates ok

Upgrade Complete

Checking linked files

```
$ ls -gi pg12/base/13498/16402*
```

```
40372037 -rw----- 2 akukushkin 44285952 Jan 24 09:50 pg12/base/13498/16402
```

```
40372067 -rw----- 2 akukushkin    32768 Jan 24 09:49 pg12/base/13498/16402_fsm
```

```
$ ls -gir pg16/base/13498/16402*
```

```
40372067 -rw----- 2 akukushkin    32768 Jan 24 09:49 pg16/base/13498/16402_fsm
```

```
40372037 -rw----- 2 akukushkin 44285952 Jan 24 09:50 pg16/base/13498/16402
```

* Inodes in the new PGDATA remain the same.

Upgrade standby with rsync

```
$ rsync \  
  --archive \  
  --delete \  
  --hard-links \  
  --size-only \  
  --no-inc-recursive \  
 /var/lib/postgres/pgdata/pg12 \  
 /var/lib/postgres/pgdata/pg16 \  
 standby.example.com:/var/lib/postgres/pgdata  
  
# -r – recursive  
# -l – copy symlinks as symlinks  
# -p – preserve permissions  
# -t – preserve mtime  
# -g – preserve group  
# -o – preserve owner  
# -D – preserve devices and special files
```


Standby after rsync

Standby before rsync:

```
/var/lib/postgres/pgdata/pg12/  
/var/lib/postgres/pgdata/pg12/base/  
/var/lib/postgres/pgdata/pg12/base/1/  
/var/lib/postgres/pgdata/pg12/base/1/112  
...  
/var/lib/postgres/pgdata/pg12/13498/16402  
...  
/var/lib/postgres/pgdata/pg16/ # doesn't exist
```

copied from the primary

Standby after rsync:

```
/var/lib/postgres/pgdata/pg12/  
/var/lib/postgres/pgdata/pg12/base/  
/var/lib/postgres/pgdata/pg12/base/1/  
/var/lib/postgres/pgdata/pg12/base/1/112  
...  
/var/lib/postgres/pgdata/pg12/13498/16402  
...  
/var/lib/postgres/pgdata/pg16/  
/var/lib/postgres/pgdata/pg16/base/  
/var/lib/postgres/pgdata/pg16/base/1/  
/var/lib/postgres/pgdata/pg16/base/1/112  
...  
/var/lib/postgres/pgdata/pg16/13498/16402  
...
```

hardlink, no copy!

HA major upgrade - full procedure

- preparations mainly as for normal pg_upgrade
 - truncate unlogged/temp tables (to avoid copying them to standby nodes by rsync)
- **make sure that standby nodes are not lagging!**
- stop the primary (manual CHECKPOINT + **pg_ctl stop -m fast**)
- get **Latest checkpoint location** from pg_controldata output
 - **make sure that standby applied WAL up to checkpoint LSN!**
- run pg_upgrade --link ...

HA major upgrade - full procedure (continue)

- Don't start postgres on primary after pg_upgrade until rsync finished!
- Stop standby nodes (could be done in parallel with pg_upgrade)
- run rsync for all standby nodes
- start postgres on the primary
- trigger statistics rebuild on the primary:
 - vacuumdb --all --analyze-in-stages
- restore dropped objects (if needed), update extensions, etc
- trigger creation of new basebackup

HA major upgrade - full procedure (continue)

- update config files on standby nodes (they are rsynced from the primary)
 - pg_hba.conf
 - postgresql*.conf: (**primary_conninfo** & co)
 - **standby.signal**)
- start postgres on standby nodes
- verify that replication works
- remove old PGDATA on all nodes (if everything is fine)

Tricks with rsync

- usually rsync works via remote shell (ssh)
- in the cloud (containers) configuring ssh and distributing keys just for major upgrade is too much
- we can use rsync daemon instead
 - run daemon on the primary, with read-only access
 - clients on standby nodes
- rsync-ssl – wrapper to add ssl support
 - we may use the same certificates as for postgres

What if something goes wrong?

- **pg_upgrade failed** - just start the old cluster
 - sometimes requires removing **.old** suffix from **global/pg_control.old**
- **rsync failed** - rebuild standby nodes using **pg_basebackup** or other backup tools
- as a precaution keep one standby intact

Downtime

- downtime of `pg_upgrade --link + rsync` **depends only on the number of objects** in the cluster and **doesn't depend on the total size of data**
- for **small and medium size** clusters it's possible to do major upgrade with only **10s-20s** of downtime (excluding statistics rebuild)
- **waste majority** of clusters could be upgraded with downtime **less than 1 minute**.

Unsolved (yet) problems

- replication slots are lost (solved in v17)
- subscriptions are preserved, but not reactivated
- table statistics rebuild may take significantly longer than major upgrade
 - WIP: [Statistics Import and Export](#)

Conclusion

- `pg_upgrade --link + rsync` is a fast method of major upgrades with a small downtime
 - no additional resources required
- There are some problems, but community works on solving them

- always do backups and test recovery procedures!



Questions?